### CERTIFICATE OF COMPLIANCE



This document certifies that G Production Inc. approves the following lot of produ	This document	t certifies that (	3 Production	Inc	approves th	ne followii	na lot c	of product
--	---------------	--------------------	--------------	-----	-------------	-------------	----------	------------

Product Description: EXCIPIAL LIPOLOTION NEUTRE 400ML 6 FR

Product Code:

052011

PIC Number:

0

Lot Number:

303063

**Expiration Date:** 

06/2021

Quantity released:

3 846 units

Manufacturing date:

12-Dec-18

Comments:

N/Ap

The product specified above has been manufactured, packaged, tested and approved based on Division 2, Part C of the Food and Drug Regulations of Health Canada and on Current Good Manufacturing Practices Part 210 and 211, Title 21, of the FDA Code of Federal Regulations and with accordance to G Production Inc. Standard Operating Procedures, Master Production and Control Documents.

All current procedures have been followed, all incoming material have been evaluated and approved, all quality inspections have met specifications, all testing has been completed and approved, all documentation has been reviewed for completeness and accuracy and any discrepancies / deviations which occurred have been properly investigated, documented and approved by G Production Inc. Quality Assurance. The following documents are attached to this form and sent to Galderma Affiliate only.

Certificate of analysis

Non-Conformity

Yes (Summary Attached)

D-01-2019

No

Certified by:

Signature, date - Quality Assurance

GALDERMA

# **QC** Chemistry Department

ITEM DESCRIPTION: EXCIPIAL LIPOLOTION NEUTRE 400ML 6 FR

ITEM NUMBER: 052011

**EFFECTIVE DATE: 20-07-2018** 

GALDERMA LOT NUMBER: 303063

LIMS LOT NUMBER: B-20181218-00012

SAMPLE: S-181218-00340 Begin

Test	Method	Limits	Results
Description	1.BD.05.MET.9000.R00	White, slightly pink homogeneous fatty liquid emulsion.	Conforms

This document was electronically approved by:

Pierre-Luc Reid, QC Chemistry Supervisor

Date: 19-12-2018

♣ GALDERMA

#### **QC** Chemistry Department

ITEM DESCRIPTION: EXCIPIAL LIPOLOTION NEUTRE 400ML 6 FR

ITEM NUMBER: 052011

EFFECTIVE DATE: 20-07-2018

GALDERMA LOT NUMBER: 303063

LIMS LOT NUMBER: B-20181218-00012

SAMPLE: S-181218-00341 End

Test	Method	Limits	Results
Description	1.BD.05.MET.9000.R00	White, slightly pink homogeneous fatty liquid emulsion.	Conforms

This document was electronically approved by:

Pierre-Luc Reid, QC Chemistry Supervisor

Date: 19-12-2018

♣ GALDERMA

## **QC** Microbiology Department

ITEM DESCRIPTION: EXCIPIAL LIPOLOTION NEUTRE 400ML 6 FR

ITEM NUMBER: 052011 EFFECTIVE DATE: 20-07-2018

GALDERMA LOT NUMBER: 303063 LIMS

LIMS LOT NUMBER: B-20181218-00012

**SAMPLE:** S-181218-00339 Composite

Test	Method	Limits	Results
Microbial Examination of Non Sterile products: Harmonized method EP and USP	1.BD.05.MET.8015.R05		
Total Aerobic Microbial Count Section 9.1 Parameter A		Not more than 10^2 CFU/g	< 10 CFU/g
Total Combined Yeasts and Molds Count Section 9.2 Parameter A		Not more than 10^1 CFU/g	< 10 CFU/g
Absence of S.aureus and P. aeruginosa Section 9.3 and 9.4 Parameter B		Absence of S. aureus and P.aeruginosa / g	Absent
Bile Tolerant Gram Negative Bacteria Qualitative Section 9.5 Parameter A		Absence of Bile Tolerant Gram Negative Bacteria, includes E.coli, Total and Fecal coliforms / g	Absent
Microbial Examination of Non Sterile products: Harmonized method EP and USP	1.BD.05.AUD.6023.R00		
Absence of C. albicans		Absence of C.albicans / g	Conforms

♣ GALDERMA

# QC Microbiology Department

ITEM DESCRIPTION: EXCIPIAL LIPOLOTION NEUTRE 400ML 6 FR

GALDERMA LOT NUMBER: 303063

LIMS LOT NUMBER: B-20181218-00012

**SAMPLE:** S-181218-00339 Composite

Test Method Limits Results

This document was electronically approved by :

Louise Pineault, QC Supervisor - Microbiology & STC

Date: 02-01-2019

♣ GALDERMA

#### **Quality Assurance Department**

ITEM DESCRIPTION: EXCIPIAL LIPOLOTION NEUTRE 400ML 6 FR

ITEM NUMBER: 052011

EFFECTIVE DATE: 20-07-2018

GALDERMA LOT NUMBER: 303063

LIMS LOT NUMBER: B-20181218-00012

**SAMPLE:** S-181218-00343 Analyse

Test	Method	Limits	Results
Number of containers sampled	2.BD.05.SOP.5405	For information only	8
Inspection by attributs and final packaging	2.BD.05.SOP.5337 / PMO en vigueur	Conforms	Conforms

This document was electronically approved by:

Sylvie Ducasse, Quality Assurance Analyst

Date: 19-12-2018

•			